



Washroom partition system

classiccell



Partition system classiccell

42 mm metallic composite panels with flush front design

🛡️ 😊 \$\$\$-\$\$\$\$

	classiccell
Core material	Styrofoam
Finish	Metal (PPC steel, PPC aluminum, stainless steel)
Panel thickness (front)	42 mm (1 5⁄8")
Panel thickness (dividers)	42 mm (1 5⁄8")
Max. overall height (without transom)	2800 mm (110")
Rebated doors	✓
Flush front design	✓

RECOMMENDED AREAS OF APPLICATION

Museums Office buildings Hotels Restaurants Shopping malls Administration buildings Industry Hospitals

Design-Option: Bi-Color




- Differentiation between **the exterior and interior decor of the cubicle** (i.e., exterior face with wood decor and inside white).
- Craft a **refined contrast** by enhancing **eye-catching decors** on the outside, while keeping a **brighter ambiance** inside the cubicle.
- **Option without upcharge** (out of special colors or decors) and possible for all configurations.

Available Configurations


Standard configuration

Floor mounted with pedestals under front pilasters and overhead braced satin anodized aluminum headrail
Maximum overall height (top of headrail): 2800 mm (110") including 80-215 mm (3" to 8 ½") floor clearance



Floor-to-ceiling


Maximum overall height: 2800 mm (110") without floor clearance



Without transom panel

Floating effect (only recessed pedestals)


Floor mounted with recessed pedestals under partition walls and overhead braced satin anodized aluminum headrail
Maximum overall height (top of headrail): 2400 mm (94 ½") including 80-215 mm (3" to 8 ½") floor clearance



Other configurations possible under request and technical feasibility

Floating effect with recessed headrail

Floating-effect with recessed pedestals and recessed satin anodized aluminum headrail
Maximum overall height (top of panel): 2135 mm (84") including 80-180 mm (3" to 7") floor clearance



Configuration **with recessed pedestals**, with Austenit platinum stainless steel and GS 40 - 1300 mm grip bar with integrated mechanical indicator

Standard features




Wall connections via U-profiles to allow for construction tolerances:

- Made of satin anodized aluminum and rounded for safety reasons (radius 2 mm).
- Torsion resistant, flush stabilizer 54/43 mm above the door.

3-roller edge spring hinges:

- Made of aluminum (20 mm in diameter, length 145 mm) with a maintenance free stainless-steel axis.
- Hinges are non-detachable, fastened with six screws and come with a stainless-steel pin for self-closing doors.



L-shaped door handle and turning lock:

- Made of aluminum with square emergency lock release, locking status visible inside and outside.
- Double-latch lock with metal latch and metal whisper trap for silently closing door.

Pedestals:

- Made of anodized aluminum (20 mm) with a stainless-steel 304 foot plate, infinitely adjustable, firmly screwed onto the cubicle elements using a M12 thread.
- The solid, corrosion-free aluminum covering rosette can be easily lifted for cleaning purposes.



Special option: classiccell Heavy duty




- **The Heavy Duty Edition is the premium upgrade** for the classiccell toilet partition series. Featuring an exceptionally **resistant and durable surface** available in aluminum, steel, or stainless steel, it is **safeguarded against dents, dings and vandalism** by a specially engineered reinforcement insert.
- The inserts are composed of a **3-component structure**, consisting of an inner hard foam core insert, which is covered on both sides with a 3 mm SGL solid core board and the respective metal surface.
- This option can be used either in the complete system or only in parts subject to particular stress, such as the doors. The entire construction is thus not only **impact and dent resistant**, but **can also be used in wet rooms** without any problems.
- **The ultimate vandal resistant system:** the doors are supported by strong three-roller edge hinges, which are unhinge-proof and maintenance-free. Heavy Duty Edition effectively protects you from vandalism and damage and thus from unnecessary repair costs.
- **Noise reduction** has also further **improved:** the new whisper locks are quiet and ensure greater comfort and privacy in the toilet room.


Optional features



Wall connections via **shadow gap** made of satin anodized aluminum



3-roller edge spring hinges made of **stainless steel 304** (20 mm in diameter, length 145 mm)



Nominal door width
Mini 570 mm (22 7/16") / Maxi 980 mm (38 9/16")
Door clear (in-swinging): - 52 mm (-2 1/16")
Door clear (out-swinging): - 38 mm (-1 1/2")




Pedestals made entirely of **stainless steel 304**




L-shaped door handle made of **stainless steel**




Door knob made of **aluminum**



Section view of a standard configuration



U-profile



Shadow-gap profile (option)



Grip bar GS 40 with **LED-indicator**

Other available door hardware:

- Nylon knobs
- Aluminum knobs
- Stainless steel knobs
- Nylon lever handle U-shaped
- Aluminum door handle U-shaped
- Stainless steel door handle L-shaped
- Stainless steel door handle U-shaped
- Aluminum Grip bar GS 25 - 400 mm
- Aluminum Grip bar GS 25 - 800 mm
- Aluminum Grip bar GS 40 - 430 mm
- Aluminum Grip bar GS 40 - 430 mm with LED-indicator
- Aluminum Grip bar GS 40 - 1165 mm
- Aluminum Grip bar GS 40 - 1165 mm with LED-indicator
- Aluminum Grip bar GS 40 - 1300 mm
- Aluminum Grip bar GS 40 - 1300 mm with LED-indicator
- Bespoke door hardware under request

Width	Mini	Maxi
Door	570 mm (22 7/16")	980 mm (38 9/16")
Wall connected pilaster	130 mm (5 1/8")	1160 mm (45 11/16")
Pilaster	180 mm (7 1/16")	1160 mm (45 11/16")

classiccell Stock colour chart

Partitions, pilasters and doors


*Stainless steel:



Natural brushed 4113G

*Other finishes and structures available under request (bronze, black, gloss, anti-fingerprint...)

Aluminum:



Strong White 9522




Strong Grey 7322




Strong Black 7022

Steel:




Traffic White 9317




Light grey 7208




Silver grey 7303



Metal grey 7507



Copper brown 8307



Brilliant black 7907

Other colours and digital prints available under request, with extra charge and lead time



Please note that the colours shown above may slightly differ from the original colour due to typographic reasons





KEMMLIT-Bauelemente GmbH | Maltschachstraße 37 | D-72144 Dusslingen
Tel.: +49 (0) 7072 /1 31-0 | export@kemmlit.de | kemmlit-bauelemente.com